



**MAGNETIC**

**TRACK**



**Product Specifications:**

Lamp Type: OSRAM LED  
 Operating Temp.: -20°C ~ +50°C  
 Material: High-grade Aluminium  
 Finish: Black  
 Lifespan: 60,000 Hours  
 Warranty: 6 Years  
 Applications: Commercial, Retail, Residential, Hospitality



17502



17922



17923




**Product Options:**

CCT: 2700K-6000K  
 Finish: Sandy White  
 Beam angle: 15°/30°  
 Control: Switchable/TRIAC/0-10V/Wi-Fi/Bluetooth

	SKU	W	CCT	LM	mA	Beam	Size(mm)	Cut(mm)
<b>Acento</b>	17502	12x1W	3000K	840lm	250mA	41°	Ø294x22x43	-
	17922	6x2W	3000K	840lm	250mA	45°	Ø154x22x43	-
	17923	6x2W	3000K	780lm	250mA	45°	Ø294x22x104	-

DC48V IP 20  CRI>90 PF>0.9

 SDCM <3  Class III  UGR<15 



# ACENTO

## 48V MAGNETIC TRACK

**Product Specifications:**

Lamp Type: OSRAM LED  
 Operating Temp.: -20°C ~ +50°C  
 Material: High-grade Aluminium  
 Finish: Black  
 Lifespan: 60,000 Hours  
 Warranty: 6 Years  
 Applications: Commercial, Retail, Residential, Hospitality



17231/17208/17365




17366/17207

**Product Options:**


Wattage: 20W/10W  
 CCT: 2700K-6000K  
 Finish: Sandy White  
 Beam angle: 15°/30°  
 Control: Switchable/TRIAC/0-10V/Wi-Fi/Bluetooth

	SKU	W	CCT	LM	mA	Beam	Size(mm)	Cut(mm)
<b>Acento</b>	(Phase Dimmable)17231	10x1W	2700K	800lm	400mA	45°	Ø280x35x59	-
	17208	10x2W	4000K	1360lm	800mA	45°	Ø280x35x59	-
	17365	10x1W	4000K	800lm	400mA	45°	Ø280x35x59	-
	17366	10x1W	4000K	800lm	400mA	45°	Ø270x35x180	-
	17207	10x2W	4000K	1600lm	800mA	45°	Ø270x35x180	-



DC24V IP 20  CRI>90 PF>0.9

17231/17208/17365



17366/17207



**ACENTO**  
 24V MAGNETIC TRACK